

Active Seal Envelope Chart



Tire Size	SureSeal / ARC				Rim & Tube - Removable Flanges				Rim & Tube - Hi-Flange			
	Env. Size	OD	ID	BB	Env. Size	OD	ID	BB	Env. Size	OD	ID	BB
10.00R15	NOT SIZED				D13	37.5	13.0	30.3	D13	37.5	13.0	30.3
8.25R16	E12	34.5	12.0	28.5	E15	34.5	15.0	25.3	E15	34.5	15.0	25.3
9.00R16	D12	37.5	12.0	31.8	D15	37.5	15.0	28.3	D15	37.5	15.0	28.3
36X12.5R16.5	NOT SIZED				D13	37.5	13.0	30.3	D13	37.5	13.0	30.3
37X12.5R16.5	NOT SIZED				D13	37.5	13.0	30.3	D12	37.5	12.0	31.8
750R17	E12	34.5	12.0	28.5	E17	34.5	17.0	23.3	E17	34.5	17.0	23.3
10R17.5	E12	34.5	12.0	28.5	E17	34.5	17.0	23.3	E15	34.5	15.0	25.3
11R17.5	D12	37.5	12.0	31.8	D17	37.5	17.0	26.3	D15	37.5	15.0	28.3
275/80R18	E12	34.5	12.0	28.5	E15	34.5	15.0	25.3	E15	34.5	15.0	25.3
335/80R18	NOT SIZED				C17	40.5	17.0	30.3	C15	40.5	15.0	32.3
8R19.5	E15	34.5	15.0	25.3	E21	34.5	21.0	19.5	E21	34.5	21.0	19.5
9R19.5	E13	34.5	13.0	27.3	E19	34.5	19.0	21.3	E17	34.5	17.0	23.3
9.5R19.5	E13	34.5	13.0	27.3	E19	34.5	19.0	21.3	E17	34.5	17.0	23.3
15R19.5	A13	43.0	13.0	39.3	A21	43.0	21.0	31.5	A19	43.0	19.0	33.3
16.5R19.5	NOT SIZED				A17	43.0	17.0	35.3	A17	43.0	17.0	35.3
18R19.5	NOT SIZED				A15	43.0	15.0	37.3	A15	43.0	15.0	37.3
245/70R19.5	E13	34.5	13.0	27.3	E21	34.5	21.0	19.5	E19	34.5	19.0	21.3
265/70R19.5	E13	34.5	13.0	27.3	E19	34.5	19.0	21.3	E17	34.5	17.0	23.3
285/70R19.5	E12	34.5	12.0	28.5	E17	34.5	17.0	23.3	E15	34.5	15.0	25.3
305/70R19.5	D12	37.5	12.0	31.8	D17	37.5	17.0	26.3	D17	37.5	17.0	26.3
385/65R19.5	B13	43.5	13.0	38.5	B21	43.5	21.0	30.8	B19	43.5	19.0	32.5
425/65R19.5	NOT SIZED				A17	43.0	17.0	35.3	A17	43.0	17.0	35.3
445/65R19.5	NOT SIZED				A15	43.0	15.0	37.3	A15	43.0	15.0	37.3
6.50R20	E15	34.5	15.0	25.3	E23	34.5	23.0	17.5	E21	34.5	21.0	19.5
7.00R20	E15	34.5	15.0	25.3	E21	34.5	21.0	19.5	E19	34.5	19.0	21.3
7.50R20	D15	37.5	15.0	28.3	D21	37.5	21.0	22.5	D21	37.5	21.0	22.5
8.25R20	D13	37.5	13.0	30.3	D19	37.5	19.0	24.3	D17	37.5	17.0	26.3
9.00R20	C15	40.5	15.0	32.3	C21	40.5	21.0	26.5	C19	40.5	19.0	28.3
10.00R20	P13	42.0	13.0	35.8	C19	40.5	19.0	28.3	C17	40.5	17.0	30.3
11.00R20	B13	43.5	13.0	38.5	B21	43.5	21.0	30.8	P17	42.0	17.0	31.8
11.00R20 DL	B13	43.5	13.0	38.5	B21	43.5	21.0	30.8	B19	43.5	19.0	32.5
12.00R20	A13	43.0	13.0	39.3	B19	43.5	19.0	32.5	B17	43.5	17.0	34.5
12/80R20	A13	43.0	13.0	39.3	B19	43.5	19.0	32.5	B17	43.5	17.0	34.5
13/80R20	P13	42.0	13.0	35.8	P19	42.0	19.0	29.8	P17	42.0	17.0	31.8
14/80R20	A13	43.0	13.0	39.3	A19	43.0	19.0	33.3	A19	43.0	19.0	33.3
275/80R20	D12	37.5	12.0	31.8	D19	37.5	19.0	24.3	D17	37.5	17.0	26.3
335/80R20	P13	42.0	13.0	35.8	P19	42.0	19.0	29.8	P17	42.0	17.0	31.8
365/80R20	A13	43.0	13.0	39.3	A19	43.0	19.0	33.3	A17	43.0	17.0	35.3
365/85R20 DL	NOT SIZED				A19	43.0	19.0	33.3	A17	43.0	17.0	35.3
10.00R22	B17	43.5	17.0	34.5	B23	43.5	23.0	28.8	B21	43.5	21.0	30.8
11.00R22	B15	43.5	15.0	36.5	B21	43.5	21.0	30.8	B19	43.5	19.0	32.5
12.00R22	A13	43.0	13.0	39.3	A21	43.0	21.0	31.5	A19	43.0	19.0	33.3
8R22.5	D17	37.5	17.0	26.3	D23	37.5	23.0	20.5	D23	37.5	23.0	20.5
9R22.5	D15	37.5	15.0	28.3	D23	37.5	23.0	20.5	D21	37.5	21.0	22.5
10R22.5	C17	40.5	17.0	30.3	C23	40.5	23.0	24.5	C23	40.5	23.0	24.5
11R22.5	P15	42.0	15.0	33.8	P23	42.0	23.0	26.0	C19	40.5	19.0	28.3
12R22.5	P13	42.0	13.0	35.8	P21	42.0	21.0	28.0	P19	42.0	19.0	29.8
12R22.5 DL	B17	43.5	17.0	34.5	B23	43.5	23.0	28.8	B21	43.5	21.0	30.8
12.5R22.5	B17	43.5	17.0	34.5	B23	43.5	23.0	28.8	P19	42.0	19.0	29.8
12.5R22.5 DL	B15	43.5	15.0	36.5	B23	43.5	23.0	28.8	B21	43.5	21.0	30.8
12.75R22.5	B15	43.5	15.0	36.5	B23	43.5	23.0	28.8	B21	43.5	21.0	30.8
12.75R22.5 DL	B15	43.5	15.0	36.5	B23	43.5	23.0	28.8	B21	43.5	21.0	30.8
12/70R22.5	C15	40.5	15.0	32.3	C23	40.5	23.0	24.5	C21	40.5	21.0	26.5

Active Seal Envelope Chart




Tire Size	SureSeal / ARC				Rim & Tube - Removable Flanges				Rim & Tube - Hi-Flange			
	Env. Size	OD	ID	BB	Env. Size	OD	ID	BB	Env. Size	OD	ID	BB
12/80R22.5	C15	40.5	15.0	32.3	C21	40.5	21.0	26.5	C21	40.5	21.0	26.5
13R22.5	B15	43.5	15.0	36.5	B21	43.5	21.0	30.8	B21	43.5	21.0	30.8
15R22.5	A13	43.0	13.0	39.3	A21	43.0	21.0	31.5	A19	43.0	19.0	33.3
16.5R22.5	NOT SIZED				A17	43.0	17.0	35.3	A15	43.0	15.0	37.3
235/80R22.5	D17	37.5	17.0	26.3	D23	37.5	23.0	20.5	D21	37.5	21.0	22.5
245/75R22.5	D15	37.5	15.0	28.3	D23	37.5	23.0	20.5	D21	37.5	21.0	22.5
255/60R22.5	E15	34.5	15.0	25.3	E21	34.5	21.0	19.5	E21	34.5	21.0	19.5
255/70R22.5	D15	37.5	15.0	28.3	D23	37.5	23.0	20.5	D21	37.5	21.0	22.5
255/80R22.5	D15	37.5	15.0	28.3	D21	37.5	21.0	22.5	D19	37.5	19.0	24.3
265/60R22.5	E15	34.5	15.0	25.3	E21	34.5	21.0	19.5	E19	34.5	19.0	21.3
265/70R22.5	D15	37.5	15.0	28.3	D21	37.5	21.0	22.5	D21	37.5	21.0	22.5
265/75R22.5	D13	37.5	13.0	30.3	D21	37.5	21.0	22.5	D19	37.5	19.0	24.3
275/70R22.5	D15	37.5	15.0	28.3	D21	37.5	21.0	22.5	D19	37.5	19.0	24.3
275/80R22.5	C15	40.5	15.0	32.3	C23	40.5	23.0	24.5	C21	40.5	21.0	26.5
285/60R22.5	E13	34.5	13.0	27.3	E19	34.5	19.0	21.3	E17	34.5	17.0	23.3
285/75R22.5	C15	40.5	15.0	32.3	C23	40.5	23.0	24.5	C21	40.5	21.0	26.5
295/60R22.5	D15	37.5	15.0	28.3	D21	37.5	21.0	22.5	D21	37.5	21.0	22.5
295/70R22.5	D12	37.5	12.0	31.8	D19	37.5	19.0	24.3	D17	37.5	17.0	26.3
295/75R22.5	C15	40.5	15.0	32.3	C21	40.5	21.0	26.5	C21	40.5	21.0	26.5
295/80R22.5	C15	40.5	15.0	32.3	C21	40.5	21.0	26.5	C19	40.5	19.0	28.3
295/80R22.5 DL	P15	42.0	15.0	33.8	P23	42.0	23.0	26.0	P21	42.0	21.0	28.0
305/60R22.5	D13	37.5	13.0	30.3	D21	37.5	21.0	22.5	D19	37.5	19.0	24.3
305/70R22.5	C15	40.5	15.0	32.3	C23	40.5	23.0	24.5	C21	40.5	21.0	26.5
305/75R22.5	C15	40.5	15.0	32.3	C21	40.5	21.0	26.5	C19	40.5	19.0	28.3
305/85R22.5	B15	43.5	15.0	36.5	B23	43.5	23.0	28.8	B21	43.5	21.0	30.8
315/60R22.5	D13	37.5	13.0	30.3	D19	37.5	19.0	24.3	D19	37.5	19.0	24.3
315/70R22.5	C15	40.5	15.0	32.3	C21	40.5	21.0	26.5	C19	40.5	19.0	28.3
315/75R22.5	P15	42.0	15.0	33.8	P21	42.0	21.0	28.0	P21	42.0	21.0	28.0
315/80R22.5	B15	43.5	15.0	36.5	B23	43.5	23.0	28.8	B21	43.5	21.0	30.8
315/80R22.5 DL	B15	43.5	15.0	36.5	B23	43.5	23.0	28.8	B21	43.5	21.0	30.8
385/65R22.5	A13	43.0	13.0	39.3	A21	43.0	21.0	31.5	A19	43.0	19.0	33.3
385/65R22.5 DL	A13	43.0	13.0	39.3	A21	43.0	21.0	31.5	A19	43.0	19.0	33.3
425/65R22.5	NOT SIZED				A17	43.0	17.0	35.3	A15	43.0	15.0	37.3
445/50R22.5	A13	43.0	13.0	39.3	A21	43.0	21.0	31.5	A19	43.0	19.0	33.3
11R24.5	B17	43.5	17.0	34.5	B23	43.5	23.0	28.8	B23	43.5	23.0	28.8
12R24.5	B17	43.5	17.0	34.5	B23	43.5	23.0	28.8	B21	43.5	21.0	30.8
275/80R24.5	P17	42.0	17.0	31.8	P23	42.0	23.0	26.0	P23	42.0	23.0	26.0
285/75R24.5	C15	40.5	15.0	32.3	C23	40.5	23.0	24.5	C21	40.5	21.0	26.5
285/75R24.5 DL	P17	42.0	17.0	31.8	P23	42.0	23.0	26.0	P23	42.0	23.0	26.0
295/70R24.5	C15	40.5	15.0	32.3	C23	40.5	23.0	24.5	C21	40.5	21.0	26.5
295/80R24.5	B17	43.5	17.0	34.5	P23	42.0	23.0	26.0	P21	42.0	21.0	28.0
305/70R24.5	C15	40.5	15.0	32.3	C23	40.5	23.0	24.5	C21	40.5	21.0	26.5
305/70R24.5 DL	P17	42.0	17.0	31.8	P23	42.0	23.0	26.0	P23	42.0	23.0	26.0
305/75R24.5	P15	42.0	15.0	33.8	P23	42.0	23.0	26.0	P21	42.0	21.0	28.0
305/75R24.5 DL	B17	43.5	17.0	34.5	B23	43.5	23.0	28.8	B23	43.5	23.0	28.8
315/70R24.5	P15	42.0	15.0	33.8	P23	42.0	23.0	26.0	P21	42.0	21.0	28.0
315/75R24.5	B17	43.5	17.0	34.5	B23	43.5	23.0	28.8	B23	43.5	23.0	28.8
315/75R24.5 DL	B17	43.5	17.0	34.5	B23	43.5	23.0	28.8	B23	43.5	23.0	28.8

NOTE: Outside envelopes are packaged four (4) of the same size per box. All suggested envelope selections are to be used as a guide only. Variations in tire sizes, tire dimensions, precure tread design and tread thickness may require a smaller or larger envelope size. In some instances it may be necessary to measure the built tire to determine the correct envelope size. All capacities and specifications are subject to change without notice. LIMITED WARRANTY: Presti Industries warrants its envelopes for two (2) years from the barcode / date-code against manufactures defects under normal use and the following conditions: (1) The limited warranty is not valid if the envelope has been modified, improperly installed, used on the wrong size tire and or misused in any way. (2) Presti's QuickDraw Valves must be used in order to maintain the envelope warranty and the valve must be installed according to the Presti factory instructions. (3) Proof of end user purchase is required before a return authorization number will be assigned. The envelope must be returned to Presti Industries for evaluation. After determining the cause of failure and if the failure is covered under the limited warranty Presti will issue a prorated credit towards the replacement of the envelope with a new one. Presti's Limited Warranty is subject to change.

ENVELOPE SIZING CHART			
TIRE SIZE		OUTER	INNER
305/75R24.5	Orange	OE-P23	
285/75R24.5	Blue	OE-C25	
275/80R24.5	Blue	OE-C25	
12R24.5	Red	OE-B23	
11R24.5	Red	OE-P21	
11.00R24	Red	OE-B21	
455/55R22.5		OE-A21	IE225-420L
445/65R22.5		OE-A21	IE225-430L
445/50R22.5	Orange	OE-P19	IE225-405L
425/65R22.5		OE-A23	IE225-430L
385/65R22.5		OE-A23	IE225-420L
315/80R22.5	Orange	OE-P23	IE225-405L
305/85R22.5	Orange	OE-P23	IE225-405L
305/75R22.5	Blue	OE-C25	IE225-375L
305/70R22.5	Blue	OE-C25	IE225-375L
295/80R22.5	Blue	OE-C25	IE225-375L
295/80R22.5 TRL	Green	OE-D21	IE225-375L
295/80R22.5	Blue	OE-C25	IE225-375L
295/75R22.5	Green	OE-D21	IE225-375L
275/80R22.5	Green	OE-D21	IE225-375L
275/70R22.5	Green	OE-D23	IE225-345M
265/75R22.5	Green	OE-D23	IE225-345M
255/80R22.5	Green	OE-D23	IE225-345M
255/70R22.5	Yellow	OE-E23	IE225-345M
245/75R22.5	Yellow	OE-E23	IE225-345M
235/80R22.5	Yellow	OE-E23	IE225-345M
15R22.5		OE-A23	IE225-405L
12.75R22.5	Orange	OE-P23	IE225-405L
12R22.5	Orange	OE-P23	IE225-405L
11R22.5	Blue	OE-C25	IE225-375L
10R22.5	Green	OE-D21	IE225-375L
9R22.5	Green	OE-D23	IE225-345M
11.00R22	Orange	OE-P21	IE225-420L
10.00R22	Orange	OE-P21	IE225-405L
365/80R20	Red	OE-B23	
14/80R20	Red	OE-B23	
13/80R20	Orange	OE-P23	
12.00R20	Red	OE-B23	
11.00R20	Orange	OE-P23	
10.00R20	Blue	OE-C25	
9.00R20	Green	OE-D21	
8.25R20	Green	OE-D23	
305/70R19.5	Green	OE-D23	
285/70R19.5	Yellow	OE-E21	
265/70R19.5	Yellow	OE-E21	
245/70R19.5	Yellow	OE-E23	
8R19.5	Yellow	OE-E23	
11R17.5	Yellow	OE-E17	
10R17.5	Yellow	OE-E19	
10.00R15	Yellow	OE-E15	

Presti has been providing innovative enveloping solutions to the retreading industry for more than three decades and have produced more than 2 million private labeled envelopes for some of the world's largest tread manufacturers. Today, Michelin, Bridgestone-Bandag and Goodyear all use enveloping technology originally developed and/or manufactured by Presti.



APPROVED

NOTE: Outside envelopes are packaged four (4) of the same size per box. Inside envelopes are packaged two (2) of the same size per box. All suggested envelope selections are to be used as a guide only. Variations in tire sizes; dimensions, tread design and tread thickness may require a smaller or larger envelope size. In some instances it may be necessary to measure the built tire to determine the correct envelope size. All capacities and specifications are subject to change without notice.